





Resource Stewardship Evaluation Tool (RSET)

Range Evaluations







Natural Resources Conservation Service

nrcs.usda.gov/

Contents

	1
Resource Stewardship Overview	4
Client Search Overview	
Client Search Walk-Through	5
STEP 1: Identify the Client	5
Step 2: Identify the Planned Land Unit	6
Creating a New Evaluation Overview	8
Creating a New Evaluation Walk-Through	8
Creating a New Evaluation for Mutable Land Uses	9
Evaluations Bar Overview	11
Evaluations Bar Walk-Through	12
Copy Evaluation Feature Overview	12
Copy an Evaluation to the Current PLU	13
Copy an Evaluation to a Different PLU (Current Client or Different Clients)	13
Range Inventory Overview	15
Range Inventory Walk-Through	15
Range Health Assessment Overview	20
Range Health Assessment Walk-Through	20
IPM Overview	22
IPM Walk-Through	22
WINPST Online Overview	25
WINPST Online Walk-Through	25
WINPST Manual Entry Overview	29
WINPST Manual Entry Walk-Through (Pasture and Range Example)	30
Conservation Practices Overview	33
Conservation Practices Walk-Through	33
Aquatic Habitat Overview	
Aquatic Habitat Walk-Through	35
Terrestrial Habitat Overview	
Terrestrial Habitat Walk-Through	38



Additional WHEG Information	41
Range Evaluation Results Overview	42
Range Evaluation Results Walk-Through	42
Evaluation Point Details	44
Resource Concern Report	44
CPA-52	46
Comparing Two Evaluations	48
Comparing Two Evaluations on the Same Evaluation PLU	49
Interpreting the Evaluation Results	50
Appendix A: Acronyms	51
Appendix B: Resource Stewardship Inventory FlowFlow	52
Appendix C: Usage Detail Report and Hydrologic Unit Codes	53

Updated October 2018



Resource Stewardship Overview




Resource Stewardship (RS) is a voluntary service provided by NRCS through a new evaluation tool. RS enhances conservation planning by benchmarking the level of resource stewardship on the land and helping NRCS clients better identify their conservation goals and improve their outcomes.

RS (also known as the Resource Stewardship Evaluation Tool or RSET) uses a web-based platform to evaluate the health of soil, water, air, and wildlife habitat. RS evaluates a user defined management system against the inherent site characteristics to perform this evaluation.

Upon the completion of RS, clients receive a report called the Resource Stewardship Evaluation (RSE) which visually graphs their stewardship achievements and suggests opportunities to improve resource stewardship. Evaluations are available for crop, pasture, range, forest, farmstead, and associated ag land uses.

If you would like a Resource Stewardship Evaluation completed on your operation, please reach out to your <u>local NRCS office</u>.



Left: Example visual from an RSE report, highlighting where a client's operation scores on each of the criteria listed in comparison to the vertical blue threshold bar. The shaded bars suggest opportunities the client can take to meet or surpass the threshold bar and improve resource stewardship.

Please note that to maintain and protect confidential client information, only NRCS staff and specific partners can currently access RS. To access Resource Stewardship, visit https://rs.sc.egov.usda.gov/Splash.aspx/.

The following instructional walk-throughs are developed for those with access to RS to use as a resource while completing

evaluations, as well as for those interested in learning more about RS.



Client Search Overview

Selecting a client and Planned Land Unit (PLU) is the first step in Resource Stewardship (RS). Please note that only NRCS staff and select partners have access to detailed client information within RS.



After logging into Resource Stewardship (https://rs.sc.egov.usda.gov/Splash.aspx), a search bar will be displayed to search for clients and identify a Planned Land Unit (PLU) to evaluate. Access to clients is determined by individual user's role(s) in the Customer Service Toolkit (CST), managed through the zroles system.


It is important to note that a PLU must be identified and created in CST prior to running an evaluation. A PLU is a unique geographic area, defined by a polygon, which has common land use and is owned, operated, or managed by the same cooperator(s). The PLU is the minimum unit for planning and evaluation. RS pulls PLUs from CST. PLUs must be in Plan (green) or in Locked (red) status and will be imported from an existing conservation map plan by searching for the land user's name. PLUs may or may not correspond to the Farm Service Agency (FSA) tracts and fields identified in the Common Land Unit (CLU) layer maintained by FSA depending on how the PLUs were setup in toolkit by the conservation planner. Any number of planned land units may be evaluated individually or together in an operation evaluation. When performing the evaluation, adjacent land which is outside of the PLU but integral to the PLU management system will also be considered when evaluating the PLU. For instance, management of field bordering vegetation and adjacent conservation practices, such as windbreaks, may also provide wildlife benefits, as well as have an effect on soil, water, and air quality.

Client Search Walk-Through


STEP 1: Identify the Client

1. Search the National Planning and Agreements Database (NPAD) for a client by entering the client name in the search string and clicking the **Search Clients** button. The returned client results can be narrowed down to clients in state and county or the initial client search can specifically search for clients by state and county. Uncheck the **Exact Word Match** box for clients with an ampersand (&) in their name.






If numerous clients are returned, the client list can be sorted numerically or alphabetically by clicking on the column header.



2. Select the client by clicking on the client's name.



Existing PLUs (if any) and operation evaluations will be displayed.



Step 2: Identify the Planned Land Unit

1. Click on the **View Client Land Units** button P to view the client's land units.





The land units can be sorted numerically or alphabetically by clicking the up or down arrow located on the column header.

2. If several land units are associated with this client, determine which one to select. Click on a land unit in the display area to view the attributes. To dismiss the popup, click the x located in the upper right corner or click in the map area off of the land unit.



Navigating the Display Area

Zoom In Click the Zoom In + button or roll the mouse scroll wheel away from y	
Zoom Out Click the Zoom Out button or roll the mouse scroll wheel towards from	
Pan	Hold down the left mouse button or scroll wheel and move the mouse.

3. Click the View or Add Evaluations button associated with the selected land unit.



An Evaluations tab is added.





Creating a New Evaluation Overview

RS allows users to create two different types of evaluations: a benchmark and an alternate scenario. A benchmark designation is meant to act as a starting point for conservation planning. RS envisions the opportunities for evaluating multiple alternative scenarios as part of the planning process, as well as documenting implementation and effects as conservation practices and activities are applied.

Alternate scenarios may be related to specific conservation plans, programs, or evaluation dates documenting continuous improvement. The user should select a name for the evaluation which appropriately indicates its relationship.

Creating a New Evaluation Walk-Through


Once a client and planned land unit (PLU) have been selected, the Evaluations tab will be added on the Client bar in the Search tab.



1. Click the **Add New Evaluation** button.



2. The Add New Evaluation dialog opens. In the Add New Evaluation dialog, enter the **evaluation name**, **date**, and answer **Yes** if this is the benchmark evaluation. The benchmark represents the current condition. There can only be one benchmark per PLU but there can be many alternate scenario evaluations. The date for the evaluation defaults to the date it was create in RS. The user may modify this date to reflect when the field evaluation was conducted.



3. Click the **Submit** button when done.



The evaluation is added to the evaluation list.



Creating a New Evaluation for Mutable Land Uses


For land uses categorized in NPAD as protected, undetermined, or other rural land, RS will offer the user the option to select a directly supported land use. In the example below, an evaluation on a protected land use PLU is selected for a client.



1. After selecting the client and a PLU on a mutable land use (protected, undetermined, or other rural land), from the Evaluations tab, select the **Add New Evaluation** button.



2. The Add New Evaluation dialogue opens. Enter the **evaluation name**, **date**, and answer **Yes** if this is the benchmark evaluation. Because this is an evaluation on a mutable land use (protected, undetermined, or other rural land), select the directly supported **land use** type (associated ag land, crop, farmstead, forest, pasture, or range).





3. Click **Submit** when done.

The evaluation is added to the evaluation list. Because the directly supported land use selected was "pasture", note that the land use is displayed as "pasture (protected)".



All evaluations on a given PLU must be of the same land use type.



Evaluations Bar Overview

Once an evaluation has been created, it will appear in the Evaluations bar list under the Search tab. The Evaluations bar is where the user can select previous evaluations that have been started or completed for the client. The Evaluations bar displays the result type, the name, the land unit, the land use, acres, benchmark, date, and Id. The Evaluations bar also allows the user to edit, copy, or delete evaluations.

Result type: Displays standard or alternative evaluations based on whether the user

selected final result type (alternative evaluations utilize input from stand

alone tools).

Name: User defined

Land Unit: Customer Service Toolkit (CST) PLU identifying number, typically the

FSA tract/field number

Acres: Size of PLU

Benchmark: Yes/No flag identifying benchmark status

Date: Date evaluation performed (default date is the date evaluation was

created but this may be modified by user to reflect the date the


evaluation was performed in the field)

Id: RS identifying number for PLU



Evaluations Bar Walk-Through

Click on the desired evaluation to activate it.



Evaluations can be edited, copied, and pasted to another PLU, or can be deleted. Select the appropriate button to edit, copy, or delete an evaluation.

- Edit Evaluation: Feature allows user to edit name and date of evaluation.
- Copy Evaluation: Feature allows user to copy an evaluation to run alternate scenarios on the existing PLU or transfer the management system defined in this evaluation to a new PLU
- 😇 Delete Evaluation: Permanently deletes evaluation

Copy Evaluation Feature Overview


The copy evaluation feature is available to copy an evaluation to evaluate and compare an alternative scenario or take the current management system that was evaluated and apply it to a different PLU. This feature allows copying to either the current client's PLU or any other PLU as identified by the user.

Any number of alternative evaluations or alternative scenarios may be attached to a PLU. Comparisons may be made against the benchmark evaluation or other alternative evaluations. In the evaluation results section, the user may directly compare two different evaluations on the same report.



Copy an Evaluation to the Current PLU

1. Copy an evaluation by clicking the **Copy Evaluation** button.



2. This opens an evaluation dialogue. To create an alternative scenario on the existing plan unit, enter the **Name** of the evaluation and edit the **Date** or **Benchmark** as appropriate. Click **Submit** when finished.




The tool defaults to copying an evaluation on the existing PLU.

3. Click on the evaluation to activate it.



Copy an Evaluation to a Different PLU (Current Client or Different Clients)

1. Copy an evaluation by clicking the **Copy Evaluation** button.






2. This opens an evaluation dialogue. Enter the **Name** of the evaluation and edit the **Date** or **Benchmark** as appropriate. To create an alternative scenario on a different PLU, select No for **Copy Evaluation to Same Land Unit**.



3. The evaluation dialogue box will display new land units under the existing client and the search feature to look for another client. Select either the different PLU or search for a new client and select the target PLU for that client. Click **Submit** when finished.



Click on the evaluation to activate it.






Range Inventory Overview

After identifying the client and planned land unit (PLU), the next step is to complete the Range Inventory information. The inventory information entered will provide resultant Factor and Threshold values. This overview helps guide the conversation about resource concerns needing treatment, existing infrastructure that can aid in treatment alternatives, and a quick glimpse at stocking rate and animal distribution suitability.

Range Inventory Walk-Through

1. From the Search bar, select the desired evaluation for the client.



2. Click on the **Inventory** tab or select the Inventory box on the **Roadmap**




Search X Inventory X

3. Enter the requested PLU Grazing Inventory Range information and click the **Save** button when finished.

	Note:	If the value	field is i	red it is	required.	
--	-------	--------------	------------	-----------	-----------	--





Desired Stewardship Level: National Resource Stewardship

Predominant Forage Type: Select answer from drop-down

- a. Annual Forbs, cool season
- b. Annual Forbs, warm season
- c. Annual Grasses, cool season
- d. Annual Grasses, warm season
- e. Leguminous Forbs, cool season
- f. Leguminous Forbs, warm season
- g. Non-Leguminous Forbs, cool season
- h. Non-Leguminous Forms, warm season
- i. Perennial Bunch and Sod Grasses
- j. Perennial Bunchgrasses
- k. Perennial grass & Perennial legume mixed, cool, & warm season
- Perennial Sod Grasses

Estimated Forage Removed per year: Numeric value

Note: Required, must be a number from 0.01 to 99999.99, 2 decimal places allowed

Forage Units: Select answer from drop-down



- a. Acres/Animal Unit Day
- b. Acres/Animal Unit Month
- c. Acres/Animal Units/Year
- d. Animal Units Days/Acre
- e. Animal Unit Month/Acre
- f. Animal Units/Acre/Year
- g. Pounds/Acre/Year
- h. Tons/Acre/Year

Has gully erosion been controlled to the Field Office Technical Guide specification: Yes/No

Note: There is evidence of active, uncontrolled soil erosion

There is evidence of wind erosion areas that have not been stabilized (dunes, blowout areas, sand drifts, etc): Yes/No

Note: There is evidence of active, uncontrolled soil erosion

Desirable forage/browse plants have decreased over time: Yes/No

Note: Desirable forage/browse plants can be native or introduced species, but do not include plants recognized as invasive (per Presidential Executive Order 13112), noxious, or toxic.

Invasive or other undesirable plants that reduce the amount and/or quality of forage for livestock or wildlife are increasing: Yes/No

Note: Invasive plants include those meeting the definition in Presidential Executive Order 13112. Undesirable plants are simply those not considered to be the best forage species available for livestock and/or wildlife consumption, due to factors such as poor quality, anti-foraging characteristics, etc.

Location and condition of structural improvements/infrastructure have been mapped (e.g., fences, roads, water troughs and tanks, etc): Yes/No

Note: The producer must be able to show written documentation supporting a Yes response.

A forage inventory has been completed: Yes/No

Note: The forage inventory includes: species composition (or functional group composition); total plant production amount; available forage production amount.



Actual clipping data, ocular estimates, and other production estimation sources (Extension, ESDs, etc.)

Stocking Rate is appropriate to provide Soil Cover, Protect Water Quality, and provide for appropriate livestock growth/production: Yes/No

Note: The producer must be able to show written documentation supporting a Yes response.

Animal Distribution is appropriate to provide Soil Cover and Protect Water Quality: Yes/No

Note: The producer must be able to show written documentation supporting a Yes response.

Resultant Factor, Threshold and Management Points are displayed.

Factor values determined:

Soil Leaching Potential Soil Runoff Potential R Factor

Threshold values determined:

Land Health

Sediment in Surface Water

Surface Phosphorus Loss

Subsurface Phosphorus Loss

Surface Nitrogen Loss

Subsurface Nitrogen Loss

Pesticide Management (Leaching)

Pesticide Management (Solution Runoff)

Pesticide Management (Adsorbed Runoff)

Pesticide Management (Drift)

Management Points:

PLU Grazing Inventory

Residue – Sediment in Surface Water

Residue - Pesticide Management (Leaching)

Residue - Pesticide Management (Solution Runoff)

Residue - Pesticide Management (Adsorbed Runoff)



Residue - Pesticide Management (Drift)

Winter Cover - Pesticide Management (Leaching)

Winter Cover - Pesticide Management (Solution Runoff)

Winter Cover - Pesticide Management (Adsorbed Runoff)

Winter Cover - Pesticide Management (Drift)

Nutrient Management - Surface Nitrogen Loss

Nutrient Management - Subsurface Nitrogen Loss


Nutrient Management - Surface Phosphorus Loss

Nutrient Management - Subsurface Phosphorus Loss

The Aquatic Habitat, Terrestrial Habitat, IPM, WINPST, Conservation Practices and Range Health Assessment tabs are added.



Navigate through the assessment by clicking on the appropriate tab or by clicking on the **Roadmap** button and choosing the appropriate assessment.





Range Health Assessment Overview

The Range Health Assessment (RHA) is completed outside of Resource Stewardship. Guidance on which ecological site descriptions (ESDs) and reference worksheets to use, as well as directions for entering the RHA Attribute scores in RS, should be provided by the NRCS State Rangeland Management Specialist.

Range Health Assessment Walk-Through

- 1. Click on the **Range Health Assessment** tab or select Range Health Assessment in the **Roadmap**.
- 2. Answer the first question: **Was a Rangeland Health Assessment (RHA) completed**? If answer is No, then Range Health is calculated from the other information entered in Resource Stewardship.



If answer is Yes, then answer the following questions. Hovering over the questions in Resource Stewardship provides additional information about what is being asked (i.e. The RHA must have been completed after 2008).



Was a Rangeland Health Assessment (RHA) completed: Yes/No

What year was the RHA completed: Enter 4 digit year that assessment was completed (must be after 2008)

Soil & Site Stability Rating: Select answer from drop-down (None to slight, slight to moderate, moderate to extreme, extreme to total)

Hydrologic Function Rating: Select answer from drop-down (None to slight, slight to moderate, moderate to extreme, extreme to total)



Biotic Integrity Rating: Select answer from drop-down (None to slight, slight to moderate, moderate to extreme, extreme to total)

3. Click **Save**.

Management Points are returned for the following:
Rangeland Health Assessment



IPM Overview

The interpretation of "Integrated Pest Management (IPM) Plan" for Pasture and Range evaluations in Resource Stewardship simply refers to any type of pest management plan, not necessarily an NRCS-developed IPM Plan like Crop Resource Stewardship Evaluations require. If the producer has a basic plan/approach for applying pesticides on the site, credit will be given for having an "IPM plan" for purposes of Resource Stewardship on grazing lands.

IPM Walk-Through



- 1. Click the Integrated Pest Management (IPM) tab or select IPM in the Roadmap 🔠.
- 2. Answer Yes/No to Are Pesticides applied to this PLU. If No, skip the remaining IPM questions. If Yes, answer the following questions.

	Grazing Pesticide Management
	Online Help: Go to IPM Help
Note: All field Are Pesticides applied to this PLU: YES Y	s are required unless otherwise noted.
1. Do you follow a current pest management plan that documents how expected weeds, insects, diseases and other pests will be monitored and how new pests will be evaluated?	
2. Do you routinely apply pesticides (herbicides, insecticides, fungicides, etc.) on a set schedule without monitoring pest pressure? 1:	
3. Do you apply the same pesticides the same way each year based primarily on what has been effective in the past without trying to manage pest resistance?	
4. Does your pest management plan identify which pest suppression techniques will be considered for each pest and how these techniques will be utilized to delay the onset of pest resistance? 1:	
5. Do you carefully target pest suppression to just the areas that need it based on scouting?	
6. Do you utilize pest suppression techniques that will have less impact on off-site natural resources, including nearby drinking water sources and terrestrial/aquatic wildlife habitats?	
7. Do you monitor and document environmental conditions at the site level to guide your scouting and pesticide application decisions? 1:	
8. To reduce the need for pest suppression, does your plan utilize pest prevention and avoidance techniques? 1:	
9. Do you utilize cultural, mechanical or biological suppression techniques (including prescribed grazing) to reduce the need for higher hazard pesticides?	
10. Do you utilize intensive rotational grazing to maintain forage vigor that prevents and avoids pests so effectively that routine pest suppression is NOT necessary? 1:	
	Save



1. Do you follow a current pest management plan that documents how expected weeds, insects, diseases, and other pests will be monitored and how new pests will be evaluated?: Yes/No

If No, skip the remaining IPM questions. If Yes, answer the following questions.

Note: The pest management plan should be less than 3 years old and include monitoring plans and pest suppression decision criteria (action thresholds) for all expected weeds, insects, and diseases, and other pests.

2. Do you routinely apply pesticides (herbicides, insecticides, fungicides, etc.) on a set schedule without monitoring pest pressure?: Yes/No

Note: This does not include a single pesticide application ahead of time to help manage a universal pest, like treating seeds with a fungicide to help prevent soilborne diseases.

3. Do you apply the same pesticides the same way each year based primarily on what has been effective in the past without trying to manage pest resistance?: Yes/No

Note: This includes using the same or similar pesticide chemistry year after year without rotating active ingredient mode of action.

4. Does your pest management plan identify which pest suppression techniques will be considered for each best and how these techniques will be utilized to delay the onset of pest resistance?: Yes/No

Note: This includes a list of all probable pest suppression techniques (synthetic pesticides, organic pesticides, biological/mechanical/cultural controls, etc.) that will be considered for each pest and how different suppression techniques will be rotated to manage pest resistance.

5. Do you carefully target pest suppression to just the areas that needs it based on scouting?: Yes/No

Note: Based on scouting, economic injury thresholds, and other IPM principles that are specific to a particular grazing system and its pests. Prescribed pest suppression techniques are only utilized when and where they are absolutely necessary.

6. Do you utilize pest suppression techniques that will have less impact on off-site natural resources, including nearby drinking water sources and terrestrial/aquatic wildlife habitats: Yes/No



Note: This includes pest management systems that preferentially utilize things such as pesticides with lower WINPST soil/pesticide hazard ratings, pesticides with less impact on pollinator, and reduced tillage for weed control to limit the potential for sediment loss.

7. Do you monitor and document environmental conditions at the site level to guide your scouting and pesticide application decisions?: Yes/No

Note: This includes monitoring temperature, rainfall, relative humidity, and wind speed at the site level as well as monitoring the weather forecast so pesticide applications can be timed to minimize the potential for offsite losses via wind and water.

8. To reduce the need for pest suppression, does your plan utilize pest prevention and avoidance techniques?: Yes/No

Note: Pest prevention and avoidance techniques include managing forage to prevent weed establishment, using pest-free seeds, using pest resistance varieties, cleaning tillage and harvesting equipment between sites, and eliminating alternate hosts for insect pests or disease organisms.

9. Do you utilize cultural, mechanical, or biological suppression techniques (including prescribed grazing) to reduce the need for higher-hazard pesticides?: Yes/No

Note: This includes pest management systems that preferentially substitute cultural, mechanical, or biological suppression techniques (including prescribed grazing) in place of synthetic or organic pesticides to reduce pesticide use. When pesticides are needed, those with lower WINPST soil/pesticide hazard ratings are preferred.

10.Do you utilize intensive rotational grazing to maintain forage vigor that prevents and avoids pests so effectively that routine pest suppression is NOT necessary?: Yes/No

Note: This is a high level management system that is difficult to achieve. It relies on very careful management to prevent and avoid pests so effectively that routine pest suppression (including synthetic or organic pesticide use and soil disturbing tillage) is not necessary.

3. Click Save.

Management Points are displayed for the following:

IPM Pesticide Management (Adsorbed Runoff)

IPM Pesticide Management (Drift)

IPM Pesticide management (Leaching)

IPM Pesticide Management (Solution Runoff)



WINPST Online Overview

WINPST is an environmental risk screening tool for pesticides. It can be used to evaluate potential pesticides that move with water or eroded soil/organic matter and affect non-targeted organisms.

WINPST data that was captured in Resource Stewardship prior to September 2017 can be found in the Legacy (Manual) tab. The Legacy (Manual) tab also allows the manual entry of WINPST data captured outside of Resource Stewardship.


For Crop Evaluations, all probable pesticides should be selected in WINPST for each crop in the rotation. The same pesticide may be used differently on the same crop at different times, so a given pesticide may need to be selected in WINPST more than once with different application parameters, even when WINPST reports are developed for each crop.

WINPST Online Walk-Through

1. Select the **WINPST** tab or select WINPST on the **Roadmap**



3. Click Add Pesticide (Online) for each pesticide you want to search for and add.




4. Search for the pesticides in the EPA database and click on it to select it.

Enter all or part of a pesticide product name. Users can also enter a company or product code (or both). A complete EPA registration number for the company and/or product code must be entered (entering 52 will not match products with the code 523-445).





The below example shows the search results of a partial match of a pesticide product name.



The below example shows the search results for the exact match of a pesticide product name (in general, fewer results will be returned when **Exact Match** is selected for the search).





The below example shows the results of a complete match (company 3-digit number and product 3-digit number) of an EPA registration number. Note that multiple products can be returned for the same registration number.



The below example shows the results for a company match by EPA registration number (in general, more results will be returned if a 3-digit product number is not also included in the search).






5. Select the **App Area**, **App Method**, and **App Rate** details for each pesticide.



6. Click **Get Hazard Ratings** and click **Save Pesticides (Online)** for each Pesticide tab added. (Repeat Steps 1 -6 for each additional pesticide.)





Note: The application rate can vary between active ingredients. While active ingredient hazard ratings are shown, only the pesticide product level ratings are used in Resource Stewardship.

Management Points are returned for the following:

WINPST - Pesticide Management (Leaching)

WINPST - Pesticide Management (Solution Runoff)

WINPST - Pesticide Management (Adsorbed Runoff)

WINPST Manual Entry Overview

To enter WINPST data manually, look through all the ratings in the Soil/Pesticide Interaction Hazard Rating Report to identify the worst-case (highest risk) result in each category (Leaching – Human, Leaching - Fish, Solution Runoff – Human, Solution Runoff – Fish, and Adsorbed Runoff – Fish) for all planned pesticides for a crop on all planned land unit (PLU) soils. Circle each of those worst-case ratings on the WINPST report for documentation and then select those five worst case ratings in Resource Stewardship in the WINPST data entry screen. Note that the highest hazard ratings for each of the five categories may be different for different soils and/or different pesticides.

Note: Selecting pesticides in WINPST by product name can sometimes select multiple active ingredients. Each active ingredient has its own unique hazard rating, so a product should be represented by the worst case (highest risk) rating for each category for all the product's active ingredients.

Ratings reported in WINPST:

Very Low (V) Low (L) Intermediate (I) High (H) eXtra High (X)



Soil / Pesticide Interaction Loss Potential and Hazard Rating Report

```
X -- eXtra high
H -- High
I -- Intermediate
L -- Low
V -- Very low
Conditions that affect ratings:
             -- Broadcast application (default); applied to more than 1/2 the field
(none)
             -- Banded application; applied to 1/2 the field or less
             -- Spot application; applied to 1/10th of the field or less
             -- Surface applied (default); applied to the soil surface
(none)
             -- Soil incorporated; with light tillage or irrigation
             -- Foliar application; directed spray at nearly full crop/weed canopy
(none)
             -- Standard application rate (default); greater than 1/4 lb/acre
             -- Low rate of application;
                                            1/10 to 1/4 lb/acre
 -- Ultra Low rate of application; 1/10 lb/acre or less
             -- There are surface connected macropores (cracks) that go at least 24 inches deep.
   m
             -- The high water table comes within 24" of the surface during the growing season.
             -- The field slope is greater than 15%.
             -- Default condition for all climates that have rainfall/irrigation after pesticide application
 <none>
             -- Exception for arid climates that have a low probability of rainfall and no irrigation afer pesticide application
  <dry>
SPISP II I-Ratings:
  Leaching
                  -- Soil / Pesticide Interaction Leaching Potential
  Solution
                  -- Soil / Pesticide Interaction Solution Runoff Potential
                  -- Soil / Pesticide Interaction Adsorbed Runoff Potential
```


WINPST Manual Entry Walk-Through (Pasture and Range Example)

This example uses Roundup and Weedmaster.


Pesticide Name	Roundup	Weedmaster
Leaching – Human	Very Low (V)	Very Low (V)
Leaching – Fish	Very Low (V)	Very Low (V)
Solution Runoff – Human	Low (L)	Very Low (V)
Solution Runoff – Human	Low (L)	Low (L)

Adsorbed Runoff - Fish	Low (L)	Very Low (V)

- 1. Click on the **WINPST** tab or select WINPST on the **Roadmap**
- 2. On the **Legacy (Manual)** tab, type the Pesticide Name (this example uses Roundup) and enter the pesticide hazard ratings gathered from the Soil/Pesticide Interaction Hazard Rating Report. Click **Save Pesticides (Manual)** when finished.




On the tab showing the first pesticide you entered, click the **Add tab** or **Copy** feature to add additional pesticides. The Copy feature allows users to copy over pesticide information and make any necessary edits to the pesticide name or hazard ratings.



3. On Tab 2, enter the Pesticide Name and Hazard Ratings information for **Weedmaster**. Click **Save Pesticides** when finished.





Management Points are returned for the following:

WINPST - Pesticide Management (Leaching)

WINPST – Pesticide Management (Solution Runoff)

WINPST - Pesticide Management (Adsorbed Runoff)




Conservation Practices Overview

Information for the Conservation Practices and Management Techniques (CPMT) section is gathered from the client. CMPTs can be chosen from the open-ended list in Resource Stewardship based on what has been implemented on the Planned Land Unit (PLU). For Crop evaluations, these CPMTs are identified at the crop rotation level.

Conservation Practices represent the initial NRCS Conservation Practices as identified in the Field Office Technical Guide (FOTG).

Management Techniques represent conservation activities which may be sub-components of Conservation Practices that help to define the management activity and associated benefits.

Conservation Practices Walk-Through





2. Answer Yes to **Does the PLU have any resident conservation practices which will impact its conservation stewardship** (if applicable).



3. Enter the conservation practice name or practice number. This example uses **Fence (382)** as the first conservation practice applied. **382** can also be entered for the conservation practice number.



4. To enter another practice, click the **Add Row** button.



To add, delete or to reorder the rows use the appropriate button. The order of conservation practices has no effect on the results.

- Add Row
- Delete Row
- Move Row Up
- Move Row Down
- 5. Repeat steps 3 and 4 for each conservation practice you wish to enter. This example uses **Stream Crossing (578)** and **Watering Facility (614)**.
- 6. After all practices have been entered, click the **I Have Finished Entering Conservation Practices** radio button and **Save**.

Row		Identify which of the PLUs Conservation Practice/Management Techniques impact this particular evaluation	
1	⊕ ± ⊕	Fence (382)	
2	O 🛈 🛈 O	Stream Crossing (578)	
3	Omo	Watering Facility (614)	
		✓ I Have Finished Entering Conservation Practices Data	
	Save Practices		

Management Points are returned for the following:

CPMT - Land Health

CPMT - Sediment in Surface Water

CPMT – Sediment in Surface Water

CPMT - Surface Phosphorus Loss

CPMT – Subsurface Phosphorus Loss

CPMT – Surface Nitrogen Loss

CPMT – Subsurface Nitrogen Loss

CPMT – Pesticide Management (Leaching)

CPMT – Pesticide Management (Solution Runoff)

CPMT - Pesticide Management (Adsorbed Runoff)

CPMT - Pesticide Management (Drift)





Aquatic Habitat Overview


This section evaluates aquatic habitat by completing the appropriate aquatic Wildlife Habitat Evaluation Guide (WHEGs). WHEGs are models that depict important relationships between fish and wildlife and their habitats and provide an index of habitat suitability. They 1) simplify the real world, 2) improve understanding, and 3) predict outcomes.

Different WHEGs are available for selection in Resource Stewardship depending on the type of aquatic habitat you are evaluating.

Aquatic Habitat Walk-Through








3. Select an aquatic habitat guide from the selection. If no guide is applicable, then select **Not Applicable**. Note that selecting Not Applicable means there is no such habitat on the PLU (i.e. no water on cropland). This will result in no score for aquatic habitat. Selecting **Not Evaluated** means that habitat concerns may exist, but questions were either unanswered or responses unknown. This will result in a failing score for aquatic habit.





Currently, you can select the following for **Pick an Aquatic Habitat Guide**:

Not Evaluated

Not Applicable

Approved Alternative Guide

Bog Turtle Guide

National Lakes and Ponds Guide

National River Guide


National Stream Guide

National Wetland Guide

Rio Grande Cutthroat Trout

4. Select the appropriate answer choices from the drop down for each question for the habitat guide selected and click the **Save** button.





Note that if an **Approved Alternative Guide** is selected, utilize the guide outside Resource Stewardship and manually enter the information for **Name of Habitat Guide**, **Guide Threshold**, and **Guide Results**.



The Guide Threshold is 0.5 in most cases. The Guide Result (the client's score calculated based on the WHEG instructions) is typically a result between 0-1.

Management Points are returned for the following: Aquatic Habitats



Terrestrial Habitat Overview


This section of the tool evaluates terrestrial habitat using the appropriate Wildlife Habitat Evaluation Guides (WHEGs). WHEGs are models that depict important relationships between fish and wildlife and their habitats and provide an index of habitat suitability. They 1) simplify the real world, 2) improve understanding, and 3) predict outcomes.

Different guides are available for selection depending on land use being evaluated. In addition, a limited number of Working Lands for Wildlife (WLFW) guides are also available.

Terrestrial Habitat Walk-Through



- 1. Click on the **Terrestrial Habitat** tab or select Terrestrial Habitat on the **Roadmap**
- 2. Select the appropriate answer (PLU is part of larger Management Unit or PLU Only) for **Categorize the land applicable to this Habitat information**.



3. Select a terrestrial habitat guide from the choices available. If no guide is applicable, then select **Not Applicable**. Note that selecting Not Applicable means there is no such habitat on the PLU (i.e. no wildlife on farmstead). This will result in no score for terrestrial habitat. Farmstead and Associated Ag Evaluations have the option to select **Evaluated as part of adjacent land use**. This option will not penalize or improve the score. Selecting **Not Evaluated** means that habitat concerns may exist, but questions were either unanswered or responses unknown. This will result in a failing score for terrestrial habit.

Available for all Evaluations:

Not Applicable Not Evaluated Approved Alternative Guide Goldenwinged Warbler AppalachianMtn Guide



Greater Sage Grouse (ND and SD)

Greater Sage Grouse (WA)

Greater Sage Grouse (Idaho)

Lesser Prairie Chicken - Sand Sagebrush

Lesser Prairie Chicken – Sand Shinnery Oak

Monarch Butterfly Midwest Guide

Monarch Butterfly Southern Great Plains Guide

New England Cottontail

Southwestern Willow Flycatcher < 6000ft elev Guide

Southwestern Willow Flycatcher > 6000ft elev Guide

Available for Crop Evaluations:

National Cropland (Flooded) Guide

National Cropland (Unflooded) Guide

National Cropland with Hay (Unflooded) Guide

National Hayland Guide

Available for Range Evaluations:

National Range Guide

Available for Pasture Evaluations:

National Pasture Guide

Available for Forest Evaluations

Forest Guide


Available for Farmstead and Associated Ag Evaluations

Evaluated as part of Adjacent Land Use

4. Select the appropriate answer choices from the drop down for each question for the terrestrial habitat guide selected and click the **Save** button.

Example





Note that if an **Approved Alternative Guide** is selected, utilize the guide outside Resource Stewardship and manually enter the information for **Name of Habitat Guide**, **Guide Threshold**, and **Guide Results**.



The Guide Threshold is 0.5 in most cases. The Guide Result (the client's score calculated based on the WHEG instructions) is typically a result between 0-1.

Management Points are returned for the following: Terrestrial Habitats



Additional WHEG Information

Common terms included in WHEGs are described below.

Non-Cropland Habitat Elements (NCHE): This includes habitat elements associated with crop fields occurring within the field, such as field borders, odd areas, windbreaks, wetlands, brushy draws, include field borders, odd areas, windbreaks, wetlands, brushy draws, hedgerows, seeps, riparian areas, vegetated ditches, native vegetated communities, rare and declining habitats, and center pivot corners hedgerows, seeps, riparian areas, vegetated ditches, native vegetated communities, rare and declining habitats, and center pivot corners. It also includes habitat elements immediately adjacent to the crop fields, such as CRP (Conservation Reserve Program), woodlands, and riparian areas. The evaluated NCHE must be under the control of the applicant and be \geq 30 feet wide and \geq 0.1 acre. NCHE must meet state quality standards for wildlife habitat as defined by the NRCS State Biologist with guidance from the State Wildlife Agency.

Pasture and Non-Pasture Habitat Elements (NPHE): This includes non-pastureland cover, such as field borders, odd areas, windbreaks, wetlands, brushy draws, hedgerows, seeps, riparian areas, and center pivot corners that occur within the field, or NPHE that occurs immediately adjacent to the pasture, such as CRP, woodlands, and riparian areas. The evaluated NPHE must be under the control of the applicant and be \geq 30 feet wide and \geq 0.1 acre. NPHE includes paddocks not grazed during the nesting season. NPHE must meet state quality standards for wildlife habitat as defined by the NRCS State Biologist with guidance from the State Wildlife Agency.

Range: This refers to rangeland habitats on which the climax or potential plant cover is composed principally of native grasses, grass-like plants, forbs, or shrubs suitable for grazing and browsing, and introduced forage species that are managed like rangeland.




Range Evaluation Results Overview

Evaluation results identify the condition at the site. Resource Stewardship can also evaluate alternative management scenarios or planned conservation activities to improve resource stewardship. Within RS, most major resource concerns are made up of sub-concerns. The user has the option to evaluate each of those sub-concerns individually and determine their management level compared to the stewardship threshold.

Range Evaluation Results Walk-Through

1. Click on the **Roadmap** button and select **Evaluation Result**.

Note: If **Evaluation Result** is not active, go through all the tabs to ensure that all information is entered and saved.



Note: See the <u>Stand Alone Tools help webpage</u> for help on how to complete the **Stand Alone Tools** section (if needed).

Below is an example Evaluation Report.







Conservation Practices and Management Techniques

- Brush Management (314)
- Fence (382)
- Livestock Pipeline (516)
- Pumping Plant (533)

Evaluation Details

- · Terrestrial Habitat Guide(s): National Range Guide
- Aquatic Habitat Guide(s): National Stream Guide
- WINPST entered: Yes

The Evaluation Report can be printed by clicking the **Print** button at the bottom of the page.



Evaluation Point Details

1. To view the evaluation point details, click **Evaluation Point Details** at the bottom of the Evaluation Result report. This page provides the numerical scores and thresholds for the Management Points in the evaluation.



Resource Concern Report


Resource Stewardship evaluation results (Standard or Alternate) provide a report that maps the RS result areas to the NRCS Resource Concerns. (Note: RS does not currently provide mappings to all possible Resource Concerns.)



1. Click **Resource Concern Report** at the bottom of the Evaluation Results page.



The Resource Concerns represented vary by land use evaluation type. Resource Concerns are mapped by point detail to the RS final Evaluation Results.




Unlike the final Evaluation Report, there are no summary bars rolling up the Resource Concern sets.




The bottom of the Resource Concern Report has a button to view the Resource Concern Point Details.

2. Click Resource Concern Point Details.



Multiple RS result areas may compete for the representation of a single Resource Concern and multiple Resource Concerns may be mapped from multiple Resource Stewardship result areas (example below).



CPA-52

The CPA-52 is the environmental evaluation document utilized by NRCS to ensure compliance with the National Environmental Policy Act (NEPA). The user is responsible for choosing the RS land unit evaluations



which properly associate to applications/agreements, and the subsequent upload of the CPA-52 into DMS. Not all Resource Concerns are mapped and included in the RS-generated CPA-52. Therefore, the user is expected to complete the document started by RS.


1. Click **CPA 52** at the bottom of the Evaluation Results page.



Resource Stewardship will generate a starter CPA-52 based on a template spreadsheet. Answers for each resource concern are based on whether the result area in RS achieved the threshold.

Benchmark Evaluation


Example of a result area from a Benchmark Evaluation that did not achieve the threshold, and the corresponding answer to be populated on the CPA-52.



Benchmark Evaluation Compared to a Planned/Alternative Scenario Evaluation


Example of a result area in RS from a Benchmark Evaluation that did not achieve the threshold, compared to a Planned/Alternative Scenario Evaluation where chosen actions improved the result area to exceed the threshold.





Planned Evaluation/Alternative Scenario Compared to Planned Evaluation

Example of a comparison between two Planned/Alternative Scenario Evaluations where one evaluation achieved the threshold and the other did not, and the corresponding answers to be populated on the CPA-52.



Comparing Two Evaluations

Comparing evaluations on the same PLU is useful to see how changes to the management system can improve or hinder stewardship. By comparing evaluations and identifying areas for improvement, land managers can better improve their resource stewardship and conservation. The evaluation results section allows the user to directly compare two different evaluations on the same report.

To compare evaluations on the same PLU, you must have two complete evaluations on the same land unit. To do this you can copy an evaluation, and then edit the copied version to create an alternative scenario. (See here for assistance <u>creating a new evaluation</u> and here for assistance <u>copying an evaluation</u>.) Any number of alternative evaluations or alternative scenarios may be attached to a PLU. Comparisons may be made against the benchmark evaluation or other alternative evaluations.




Comparing Two Evaluations on the Same Evaluation PLU

- 1. Click **Evaluation Result** in the Roadmap or select the **Evaluation Result** tab.
- 2. Evaluations available to compare to the current evaluation will be displayed in the Evaluations bar at the top of the Evaluation Results page. Select the evaluation you would like to compare by clicking on it.



The current evaluation will be compared to the selected alternative scenario evaluation. The alternative scenario evaluation will show up on the bar chart as shaded.





Interpreting the Evaluation Results

As shown in the graphic above, the solid bars represent the current/benchmark state. Each of the key indicators are rolled up into five main categories (Soil Management, Water Quality, Pesticide Management, Water Quantity, Air Quality, and Habitat Health), represented by the darker solid bars. When the current/benchmark state is compared to an alternative/planned scenario, the alternative/planned scenario is represented by the shaded bars. The vertical blue line represents the threshold value for each of the different key indicators. To pass stewardship, each result area must meet or be to the right of the blue bar.



Appendix A: Acronyms

CDSI Conservation Delivery Streamlining Initiative

CEAP Conservation Effects and Assessment Program

CLU Common Land Unit

CPMT Conservation Practices and Management Technique

CST Customer Service Toolkit

ESD Ecological Site Description

FIRI Farm Irrigation Rating Index

FOTG Field Office Technical Guide

FSA Farm Service Agency
HUC Hydrologic Unit Code
IET Integrated Erosion Tool
LGU Land Grant University
NM Nutrient Management

NRCS Natural Resources Conservation Service

RS Resource Stewardship

RSE Resource Stewardship Evaluation

RSET Resource Stewardship Evaluation Tool

PLU Planned Land Unit

PSMT Pre-sidedress Nitrogen Test

RUSLE2 Revised Universal Soil Loss Equation
SSURGO Soil Survey Geographic database

STEP Stewardship Tool for Environmental Performance

T Soil Loss Tolerance Level

T&E Threatened and Endangered (species)

WEPS Wind Erosion Prediction System
WHEG Wildlife Habitat Evaluation Guide
WINPST Windows Pesticide Screening Tool

WLFW Working Lands for Wildlife

WQM Water Quality Management Services



Appendix B: Resource Stewardship Inventory Flow


The Resource Stewardship Inventory Flow provides an overview of what information is captured in the inventory from beginning to end. The field boundary, inventory, integrated pest management (IPM), nutrient management, terrestrial habitat, and irrigation information is most critical to capture. You can select "No" or "Not Applicable" for conservation practices and aquatic habitat. However, completing those sections (if applicable) offers a more robust and thorough evaluation.

Field Boundary Inventory Irrigation Drainage Gully Erosion Conservation Practices & Management Techniques IPM IPM Questions WINPST Pesticides and Methods Habitat Terrestrial Questions Aquatic Questions

- Soils info
- Climate info
- Finalize threshold analysis
- Gully evaluation complete
- Builds management points toward all indicators
- Soil, sediment evaluation complete
- Builds management points toward pesticide indicators
- Builds management points toward pesticide indicators
- Pesticide evaluation complete
- Habitat evaluation complete

Appendix C: Usage Detail Report and Hydrologic Unit Codes

Usage reports are available in RS. Access to reporting is controlled by NRCS zRoles (an RS reporting role in zRoles is required). Users with access can constrain reports by date, land use, operation type, subsets of their jurisdiction, and hydrologic unit codes (HUCs).



A hydrological code or hydrologic unit code is a sequence of numbers or letters that identify a hydrological feature like a river, river reach, lake, or area like a drainage basin (also called watershed or catchment). HUCs are available as a geospatial layer in NRT.

Boundary map of an HUC feature





Any of the 6 HUC levels may be specified in RS (region, subregion, basin, subbasin, watershed, and subwatershed). The table below shows examples of these 6 different levels and their HUCs.

Name	Level	Digits	Average size (square miles)	Number of HUs (approximate)	Example name	Example code (HUC)
Region	1	2	177,560	21	Pacific Northwest	17
Subregion	2	4	16,800	222	Lower Snake	1706
Basin	3	6	10,596	370	Lower Snake	170601
Subbasin	4	8	700	2,200	Imnaha River	17060102
Watershed	5	10	227 (40,000–250,000 acres)	22,000	Upper Imnaha River	1706010201
Subwatershed	6	12	40 (10,000–40,000 acres)	100000000000000000000000000000000000000	South Fork Imnaha River	170601020101


HUC data is visible to RS users in the following locations: the PLU inventory page, evaluation report headers, and the HUC column on the usage detail report.

PLU Inventory






Evaluation Report Headers





HUC Column on the Usage Detail report





Users can search for HUCs or enter them directly into the Usage Detail Report.









USDA is an equal opportunity provider, employer, and lender.





